

Choose the real interior door





Get backstage to find out more about our manufacturing process. Discover over 100 inspirations inside our catalogue.



Contents

04 Inspirations

10 Collections

10 Loft Collection

14 La Linea Collection

20 Nova 3.1 Collection

26 Noble Collection

32 Geometry Collection

38 Classic Collection

44 Nova 3.0 Collection

50 Luxury Collection

56 Technical Information

56 CAL Colour Chart

58 Handles

60 Selected Work

61 Glazing

62 Door Structure. Nature in Your Home

63 Accessories

64 Doorframes

67 Frameless Doors

68 Reversible doorframes

69 Sliding & Pocket Doors

72 Still More Nature

73 Door Size Guide

74 Additional Options



Door features

Doorframe



Adjustable - unit with casing already installed, and you also get some wiggle room oncering wall thickness

Rebated - single-piece profile jamb with an integrated door stop



Architraves

60mm/80mm for an adjustable doorframe, no mitering needed 60mm/108mm for a rebated doorframe, mitering needed

Door structure



Panel doors

Frame and panel structure where mortise and tenon joint is employed to fix rails and stiles



Flush

Solid core wood slab door



Tailored

Wide range of styles for all project types, including custom sizes, designs, finishes, etc.



Double doors

Equal or unequal double leaf doors

Door type



British Style hinged door set

Doors flush with frame



European Style hinged door set

Doors are framed with a rabbeted jamb



Reversible door

Doors are framed with a reversed rebate jamb



Swing and Slide System

Doors fitted with ERGON® pivoting-sliding hardware kit



Sliding

wall-mounted and/or pocket door



Frameless door

Flush-to-wall door

Door finishes



Oak Transpartent Finish

stained and varnished or oiled



Oak Painted

RAL or NCS, with oak grain




Smooth Painted

RAL or NCS, no wood grain



model: Soplica 2p colour: RAL 6005 | handle: Noble







model: Tango 13 with a retro doorframe and a crown moulding | colour: RAL 9003 | handle: Luxury



model: Okmin 1s 1/5 colour: RAL 9003 | handle: Nova 3.0 | clear laminated glass



model: Jaczno 01 colour: RAL 4010 | handle: Nova 3.1 | frosted laminated glass



model: Matera
1/6 colour: RAL 9005 X-mat | handle: La linea



model: Zosia 1s with an adjustable doorframe and a crown moulding | colour: RAL 9003 smooth painted | handle: Noble | frosted laminated glass




model: Vertical 01 knotty oak veneer | Height: 2.5 m colour: clear oak | black glass inlays | handle: Geometry

3/6

2/6



model: Boksze 10 | Height: 2.5 m colour: RAL 9003 smooth painted | handle: Nova 3.1 1/7






You want it to be beautiful, quiet, and secure.
You want it to express your tastes, desires, and your values. It should be a place where good emotions and honest gestures are born.
It should never lack warmth. It should simply be a home.

A home needs a real door. The kind of door that will help turn a house into your home. A door made of real wood, harvested in harmony with nature, that is in harmony with you and your care for your loved ones and the planet. The kind that has been made by human hands which treated the raw material like a treasure, with love. Robust and durable like family ties because they have been designed with every challenge in mind. Guarding the warmth and calm that you need so much when you come back home from a cold and busy world. The kind of door that follows your style. The kind that you have always dreamed of. We have turned that dream into reality.







Loft Collection

Doors are some of the most fascinating objects in life and literature.

A door can be opened to possibilities, or closed to shut something out.

In loft-style interiors, a door is an interconnection element of all formal organization of indoor space designed to accommodate the private and social areas.

What's all the rage this season in loft design? Real wood & glass doors. Talk about oak frame structure doors with glazing as their dominant component. At CAL, they are also available in the ultra cool X-matte colour.

The Loft collection from CAL is intended for apartments arranged in former industrial buildings, like factories or warehouses, or for a large, high and open living space, designed in an industrial style and brightened up with glazed CAL doors which let light through.

Their names are truly royal and so are their components. If you are looking for modern designs and, at the same time, want to enjoy the touch and the beauty of wood, the Loft collection from CAL has been made just for you.

The doors from this collection come complete with a magnetic lock, a window pane and are available in the full range of stain colours: spray stain, rubbedin stain, and wax oil, as well as the full RAL colour palette.





























- Colour: RAL 5009
- Frosted laminated glass S





King loft

- Material: Oak
 - Leaf colour: WO 3032
- Doorframe colour: RAL 9005 X-matte
- Frosted laminated glass

Lord loft





























Prince loft

Material: Oak

Colour: RAL 7024

Frosted laminated glass



Material: Oak

Frosted laminated glass ©





Queen loft

Material: Oak

Colour: RAL 9003

Frosted laminated glass


























model: King loft
1/13 colour: Oak RAL 9005 X-matte | handle: La Linea | clear laminated glass





La Linea Collection

Meet a new line of CAL interior doors made in tribute to the Italian people.

The Italian genius has conquered the world with quality, fantasy, and ingenuity. Famous for its small craft workshops, the country is an oracle of design and its crafts are a source of nonpareil inspiration for the CAL brand. Let us unveil before you a world of functional and minimalist yet elegant doors from this collection which is inspired by beautiful Italian cities. Bella Italia. That's the place we love the most.

The collection contains 12 unique designs featuring fancy cuts. The flexibility of this line creates countless possibilities of personalization leading to very original doors.

































Colour: RAL 7047 smooth painted





© Colour: RAL 9016 smooth painted



Lucca

Colour: WO 3032 S



S Standard option
© Extra-cost option

Door type





























Matera

S Colour: RAL 9005 X-matte



Colour: RAL 7040 smooth painted 💿



X-matte 9005

Deep black without gloss. Black interior doors in a gorgeous X-matte 9005 finish look particularly impressive when paired with white walls. An additional feature of this coating is that normal use leaves no finger-prints or smudges, which will be appreciated by those who have dealt with traditional black paints. X-matte 9005is the only black coating available for interior doors.

Standard option
Extra-cost option





























Colour: RAL 9016 ®





Siena

© Colour: WO 3032

Amalfi

RAL 9003 smooth painted [®]































Venezia

© Colour: RAL 5022

Verona

Colour: RAL 9001 smooth painted 💿



Colours

 $\ensuremath{\mathsf{CAL}}$ doors offer an unending feast of colours. From almost all RAL and $\ensuremath{\mathsf{NCS}}$ colours for satin, glossy or X-matte surfaces through the same colours for the visible oak grain to clear colours for water-based paints and wax oils that highlight the natural beauty of oak wood.

Standard option
Extra-cost option



























Colour: WO 3188 ®





Volterra

© Colour: RAL 6004

Door, Leaf, Doorframe, Hinges, Locks

A door is a system consisting of a leaf (a movable element), a doorframe (mounted in the wall opening), hinges (connecting the two previous elements) and a lock (which closes it). In addition, there are decorative elements in the form of architraves (masking the connection between the frame and the wall) and a handle (door jewellery without which it is difficult to open the lock).

































NOVA 3.1 Collection

A door is an element of arrival and departure. It makes a simple and yet refined complement to your interior.

A modern structure is the principal trait of all unique, eco-friendly doors from the Nova 3.1 line. Their solid wooden core will, in turn, have a salutary impact on the microclimate in your home. The doors from this collection are painted in single colour satin, including the timeless white door! Fans of raw timber may choose knotty oak veneer secured with wax oil. Some models go as far as to combine materials that are seemingly worlds apart: only this collection presents trendy walnut veneer and aluminium inlays in a white leaf.

If you appreciate the beauty of simple doors – this collection is meant for you.

Choose a simple room door from the Nova 3.1 Collection. Exceptional designs. A modern look. Fully eco-friendly and made using the panel door structure.























Door finishes









Veneer: Knotty oak

Colour: WO 3032 ®

Doorframe: RAL 9005 X-matte •





Boksze 20

Veneer: Knotty oak

Colour: WO 3032

A concealed doorframe

Some interior designs are based on absolute minimalism. Even the most modest doorframe or a skirting board may disturb the harmony of the indoor space. In such cases, we use concealed frames that will perfectly blend in with the surroundings.





































Boksze 10

Colour: RAL 9003 smooth painted



- Colour: OW 3032 S
- Doorframe: RAL 9005 X-matte
 - Frosted laminated glass ©



Door conflict

This is not a title of a feature story by Ryszard Kapuściński. It is a situation where, in a cramped room, open doors collide. This is dangerous both for the door and for the users' fingers. The problem can be remedied by selecting the appropriate opening directions or by alternating reversible doors with traditionally opening doors (p.68).

Standard option
Extra-cost option































- Doorframe: RAL 9005 X-matte
 - Gold metal inlay





Jaczno 01

- Colour: RAL 5001
- Acid-etched toughened glass

How to take care of CAL doors?

Our doors are practically maintenance-free. It is recommended to protect the surface of the door 2-3 times a year with generally accessible wood care products. In the case of oiled doors, apply wax oils. Please be reminded that alkaline and solvent-based products cannot be used.



































Jaczno 03

- Colour: RAL 9003 smooth painted
- Acid-etched toughened glass

Jaczno 04

- Colour: RAL 3001 ©



Hinges for non-rebated door

A non-rebated door is a common name for a modern door with a concealed rebate where the leaf is flushed with the doorframe at least on one side. The hinges may be hidden in the rebate where they are $% \left(1\right) =\left(1\right) \left(1\right)$ 3D adjustable or they may be visible, allowing limited adjustability (a Scandinavian style, frequently encountered in the US).

Standard option
Extra-cost option



























- Colour: WO 3188 ©





Jaczno 08

- Colour: RAL 6005
- Acid-etched toughened glass

Magnetic and mechanical locks

As a standard, CAL doors come (at no extra charge) with magnetic locks with a moving tongue. They are quieter in use than standard mechanical locks.

































Noble Collection

This collection celebrates beauty created in the vein of Polish nobility. Noble shapes and features. Models belonging to a higher class are embellished with unique wooden mouldings that lend unique charm and appearance. Built according to the exquisite tradition of extemporaneous doors. Classically alluring, pleasant to touch due to a satin finish, the doors from this range may also be used to articulate contemporary interiors. 100% filled with wood. Every trendy, modern nobleman would like to have them at his home.

The resilient structure of the doors from this line is based on timeless solutions. These leaves will survive years in phenomenal shape.



























Colour: RAL 9003 smooth painted 💿





Protazy 1s

- S Colour: RAL 9003 smooth painted
- S Frosted laminated glass

Soplica 2p

Colour: RAL 9003 smooth painted



Standard option
• Extra-cost option

Door type





















Soplica 3p

© Colour: RAL 9003 smooth painted



Soplica 1s

- Colour: RAL 9003 smooth painted 💿
 - Frosted laminated glass (§



Soplica 4p

© Colour: RAL 9003 smooth painted























Colour: RAL 9003 smooth painted



Tadeusz 4p

Solour: RAL 9003 smooth painted



Standard option



Extra-cost option

Wax Oils

They protect doors in two ways: the oil penetrates the wood protecting it from the inside against staining, the wax leaves a thin layer on the surface making it resistant to scratches and dents.

It has a shorter lifespan than varnish, but this is compensated for by the ease of repairing a minor damage. The presence of wax provides additional protection against scratching. Like oil, it is made from only natural ingredients.

For standard maintenance, use Osmo Wash & Care several times a year. Avoid using clean water or detergents. Use OSMO Liquid Wax Cleaner for minor repairs. Light single scratches can easily be repaired by hand by sanding the damaged surface and $\mbox{\sc {\tiny "oil}}$ waxing" it. Deeper scratches or damage should be repaired by a professional.























Telimena

Colour: RS 05



Colour: RAL 9003 smooth painted



Wood - a natural raw material

By choosing real wood doors, you invite a part of the natural environment into your home with all the beautiful consequences that this act will entail. In the case of doors with a visible grain, each leaf is unique. Shades can even vary in individual parts of the same door. This is particularly noticeable in the case of doors covered with a knotty veneer, which we cannot use for band trims. In these places, the veneer is similar to the leaf, but does not have knots. This is nature - we take it as it is, with love.























Colour: RAL 9003 smooth painted





Zosia 1s

- Colour: RS 06
- Frosted laminated glass

S Standard option

Extra-cost option

As you browse through this catalogue, you will come across a range of advice and interesting facts about wooden doors, their nature, installation, maintenance, and characteristics. You can find more information about wooden doors on the www.prawdziwedrzwi.pl blog, in our podcasts, and on social media. We invite you to follow them and to buy real doors from CAL.























Geometry Collection

Let us plunge right into geometry. Geometry is a key to unlocking the secrets of the Universe.

Twelve inspirational patterns, lacobel glass inlays and unconventional design. If you want to bring natural order into your interior - choose models from this collection! They are based on geometric concepts that have been created for contemporary indoor spaces.

Go for a single colour, satin finish without a visible grain of the wood (available in each RAL colour) or a clear varnish colour e.g. knotty oak. The lacobel glass inlay is flushed with the surface of the leaf which is a bow towards the top-of-the-range manufacturing standards and trends that have dominated the market. The standard price includes lacobel glass in the most popular colours: black, white and anthracite. For a small surcharge, you may choose any RAL colour which will match the décor of the living room or the entrance hall.

The Geometry collection is our response to the stillprevailing market trend which highlights contrasting combinations.

















- Colour: RAL 9003 smooth painted
 - Black lacobel glass inlays s





Horizontal 02

- Veneer: Knotty oak
- Oclour: WO 3032
- Black lacobel glass inlays

Horizontal 03

- Colour: RAL 9003 smooth painted 💿
 - Black lacobel glass inlays





































Horizontal 04

- Colour: RAL 7045 smooth painted
- White lacobel glass inlays



- Colour: RAL 9003 smooth painted
 - Black lacobel glass inlays s





Horizontal 13

- © Colour: RAL 9003 smooth painted
- S Black lacobel glass inlays

Standard option
Extra-cost option





























Colour: 9005 X-matte smooth painted • White lacobel glass inlays s





Vertical 01

- Colour: RAL 9003 smooth painted
- Black lacobel glass inlays

A reversible door with a reversed rebate

This is not only a solution to the problem of the door conflict. The functionality of some rooms means that some doors should open inwards while all others next to them open outwards. Reversible doors solve this aesthetic problem. Ask the seller to carefully analyse the height of the door and the trims so that on the corridor side the trims are at one level (Details: page 68).



































Vertical 02

- S Colour: RAL 9003 smooth painted
- Black lacobel glass inlays



- Colour: RAL 9003 smooth painted
 - Black lacobel glass inlays



Single colour or the grain of the wood?

A smooth soft finish is a recurring fashion statement.

To achieve this effect on wooden doors, we cover their surface with a perfectly smooth panel and then paint them. Smooth surfaces are more difficult to maintain, so it is worth thinking about the X-matte coating, which eliminates this inconvenience. The visible grain is the domain of all clear finishes, highlighting the naturalness and genuineness of wooden doors. When painted with opaque paints, the naturalness of oak becomes visible in the form of natural "pores" and small "craters".



























- Colour: RAL 5003 smooth painted
 - White lacobel glass inlays s





Vertical 31

- Colour: RAL 5014 smooth painted
- White lacobel glass inlays

Standard option Extra-cost option

Door stops

If you want to avoid damaging the door or want to block it in a certain position, use various types of door stops. There are many such devices available on the market and they may come in the form of rag cats filled with sand, heavy discs placed on the floor or invasive elements fixed to the floor and wall. Our offer includes also an opening assistant installed in the leaf.



Watch the video to find out more!



























Classic Collection

The inspiration for the doors from the Classic collection was the everlasting beauty of the traditional interior design. Solid versions of the leaves in this collection are distinguished by rectangular grooves, displaying exceptional symmetry. The grooves may also be softened by an arched crowning. The glazing is arranged in two regular, simple rows which form a minimalist, sublime door decoration. The doors from this collection have a universal look so they invariably enjoy tremendous popularity.

The classic beauty of tradition. If you need a beautiful and yet functional decoration, matching any interior – the Classic collection is here.



Door type

(



















Door finishes





Hańcza

Colour: WO 3188 ©



Szelment Option oval-shaped curve in the top rail



Necko Option curve-shaped arch in the top rail





Hańcza 4s

Material: Oak

Colour: RAL 7037

S Frosted laminated glass



Szelment Option oval-shaped curve in the top rail



Necko Option curve-shaped arch in the top rail

Hańcza 6s

- Colour: Clear varnish (§
- Frosted laminated glass s



Szelment Option oval-shaped curve in the top rail



Necko Option curve-shaped arch in the top rail





Door finishes



























Hańcza 10s

Material: Oak

Colour: RAL 9003

Frosted laminated glass





Necko Option curve-shaped arch in the top rail



- Colour: Clear varnish (§





Kisajno

Material: Oak

Colour: RAL 5003

Standard option
Extra-cost option





























Colour: RS 05 s





Sajno

Material: Oak

S Colour: WO 3073

Bathroom door, wall thickness

Take the thickness of the tiles into account when measuring the wall thickness at the height of the bathroom door. If the tiles are not laid all the way up, make sure that the frame bands rest evenly on the wall.

































Szurpiły

Material: Oak

Colour: RAL 9003

Szurpiły 2s

Colour: RAL 7016 D

Frosted laminated glass S



A rebate and a rabbet

Properly shaped edges of the leaf and the doorframe, in which seals, a lock, sometimes hinges (the concealed ones) and a blockade are placed. Thanks to such shaping of the edges the door leaf fits exactly into the doorframe.

Standard option

Extra-cost optio

Door type

- -

















Door finishes







Colour: SS 261 s





Szurpiły 6p

Material: Oak

© Colour: WO 3188

When to install an interior door – the first piece of furniture in a house?

Interior doors should be treated as the first piece of furniture in the house. Install them as late as possible, after the walls, ceilings and floors are all painted and ready. The dust present during the interior works does not do your beautiful new doors any good. In addition, it's hard to monitor all the professionals working at this stage. Once they go, it's the right time for the door installation team and your dream doors to enter.





























NOVA 3.0 Collection

Wood a la mode. Create a unique focal point with the Nova 3.0 collection. Open your mind to a creative, rarely encountered and even unconventional way of decorating.

The Nova 3.0 collection changes the standard way of thinking about the design of interior doors, both panel door and glazed door. Doors from this collection are a great find for original interiors which diverge from classic standards. The uniform surface of the leaves is diversified by untypical glazing featuring sophisticated, elongated shapes.

The Nova 3.0 collection means also a wide range of colours to match the strong details of your home décor. It includes oak doors based on a frame and panel structure (a shaker style interior door). The glazing is durable and safe, and it is flushed with the surface of the leaf which adds charm to the final outcome.

If you are looking for the latest designs and at the same time want to enjoy the everyday touch and the beauty of wood - the Gremzdy and Okmin models will be your best choice.





























- Colour: WO 3188 S





Gremzdy

- Material: Oak
- © Colour: SS 261

Gremzdy 11

- Frosted laminated glass s





Door finishes



























Gremzdy 15

- Material: Oak
- Colour: Clear varnish
- § Frosted laminated glass



- Frosted laminated glass S



Sliding pocket door

Mounted in the wall, the leaf is invisible when fully opened and does not take up any space on the wall surface. The metal structure is adapted to an at least 125 mm thick drywall. The doors can be single, double or telescopic. Note that the cassette and the leaf must fit together.

CAL standard leaves are 2,017 mm high.































- Colour: WO 3032 ®





Gremzdy 25

- Material: Oak
- Colour: WO 3161
- Frosted laminated glass

Eco-friendly paints and oils

CAL doors are finished with environmentally friendly water-based paints or oils, which is important if household members are prone to allergies.































Okmin

- Material: Oak
- Colour: WO 3188

Okmin 1s

- Doorframe colour: RAL 9005 X-matte
 - Leaf colour: RAL 9003 •



Floor transition

When laying the floors, it is worth considering the position of the door. With good planning, a closed leaf will cover the joining of two different floors.

Standard option
Extra-cost option

Door type

























- Colour: Clear varnish s
- Frosted laminated glass s





Okmin 3p

Material: Oak

Colour: RAL 9003

S Frosted laminated glass

A vertical element in a window or a door opening obtained by extending bricks for brick walls or by adding vertical posts for wooden or stone walls. It provides support for the doorframe. It should be noted, however, that it is required for adjustable doorframes to install them in a non-invasive way. A jamb is an element that will allow you to install the doorframe bands without having to cut them. The 80 mm wide bands overlap the wall by approx. $35\,\mathrm{mm}$ with an installation gap of $15\,\mathrm{mm}$ (Figures: Page 65).





























Luxury Collection

Interior doors from the Luxury collection are the sheer quintessence of timeless, elegant design. Their diversified versions – panel, partially or fully glazed – enable easy pairing of their appearance with the function of the room. Straight or arched wood trims on the surface of each model create a simple decoration that can go perfectly well with various interior arrangement styles. The leaf's structure is 100% made of oak.

The Luxury collection brings you timeless beauty that adds splendour to both classic style houses and contemporary spaces in which tradition and modernity create a harmonious duet.



























Colour: SS 103 S





Arabeska 1s

Material: Oak

Colour: WO 3188

Frosted laminated glass

Arabeska 10s

Colour: WO 3188 ®

Frosted laminated glass s



















Door finishes









Opera

Material: Oak

Colour: RS 16



Colour: RAL 9003





Opera 15s

Material: Oak

S Colour: Clear varnish

Frosted laminated glass



























Colour: WO 3168 S





Tango 03

Material: Oak

© Colour: RS 10

Bathroom door, wall thickness

Take the thickness of the tiles into account when measuring the wall thickness at the height of the bathroom door. If the tiles are not laid all the way up, make sure that the frame bands rest evenly on the wall.































Tango 04

- Material: Oak
- © Colour: RS 16

Tango 13

- Material: Oak
- Colour: RS 12 S





































Material: Oak 💿

Colour: RAL 9005 ©





Tango 23

Material: Oak

S Colour: WO 3188

Standard option



Bathroom doors, ventilation vents

The required ventilation area is derived from the ventilation design of the house. The design foresees the pressure difference between the rooms, their cubic capacity, the air exchange rate in a certain time, and based on these data indicates the ventilation surface in the door. What counts are the ventilation holes in the leaf and the area between the suspended leaf and the floor. A standard 80 leaf is hung at a height of 8 mm, which results in a ventilation area of 64 cm², while the ventilation vent for a CAL door has an area of approx. 54 cm² (by way of comparison, one ventilation duct with a 40 mm diameter has an area of approx. 12 cm²). The remaining value required by the design should be derived from the ventilation undercut. View page 62.
























Colours



SS -spray stain / RS - rubbed-in stain / WO - wax oil




































Handles

 Simple and fast installation!
 Doors can come with holes for handles.

Pre-drilled holes for handles are included in the price of the handle. Now, anyone in just a few minutes will mount a handle. No drilling, no tools. A screwdriver is the only thing you need.

A handle – door jewellery

An immense choice of handles and grips, or, as we like to call it, door jewellery that is available on the market is truly astounding. Our customers will choose according to their preferences. Our offering includes handles carefully hand-picked for each collection.







Match your handles to your real interior

Choose a lever and a matching rosette available in several shapes and finishes.


















5S TEXTURE Line

Inspired by nature, it combines harmony with a form full of elegance. Beauty hidden in irregular geometric shapes. Square rosettes and escutcheons covered with an irregular texture.



Lever 4002

Lever 4007







black

patine antique matte





Escutcheons

Key hole Euro-profile Privacy set

FITTINGS FOR SLIDING SYSTEMS

153



Honey Grip
Available in the following colours:
CS, CR



Grip 2650Available in the following colours:
VE, CR



Grip 4053Available in the following colours:
01, CS, 77, 33, 142, BA, VE

HINGE COVERS



BRASSAvailable in the following colours:
CS, CR, PM, NS



DECORATIVE BRASSAvailable in the following colours:
CR, PM



NYLON
Available in the following colours:
BLACK, WHITE

Selected Work







4/60









5/60



8/60



3/60





9/60

Glazing

• For surcharges view p. 74



Beveled glass Reflective Bronze Privacy Level 1



Beveled glass Reflective Graphite Privacy Level 1



Laminated glass Clear Privacy Level 0



Beveled glass Clear Privacy Level 0



Beveled glass Acid-etched Privacy Level 4



Laminated glass Frosted Privacy Level 5



Toughened glass Acid-etched Privacy Level 4

Door structure Nature in your house




CAL interior door – a frame & panel door structure

- a frame made of multilayer oak wood
- infilled with safe glass or a panel
- a ventilation vent
- tinted or painted oak

Door type: Non-rebated, rebated, reversible, sliding, or with frameless door





CAL interior door – a flush door structure with a solid wood core

- a uniform slab on the entire surface
- filled with multilayer wood/ glued-laminated timber or cork in a leaf >2,200 mm
- a ventilation cut (optional)
- tinted or painted oak
- tinted knotty oak
- painted/single colour

Door type: Non-rebated, rebated, reversible, sliding, or frameless door



Hinges









CONCEALED HINGE for non-rebated door

- A concealed hinge for a non-rebated door
- 3D adjustment
- Satin chrome finish
- Option with a surcharge: black/gold/white (white is unavailable in RETRO doorframes)
- Hinge covers included



LIFT OFF PIN HINGE for rebated door

- Strong and reliable screwless lift off pin hinges for rebated door type
- 3D adjustment
- Galvanized finish
- Hinge covers not included (view page 59)

Accessories



CAL Soft Stop System for hinged wooden doors:

This exceptional device comes with a built-in dual soft close and opening mechanism. The system gently decelerates the door and pulls it into its final position.

Available in non-rebated doors in the following collections: La Linea, Geometry, Nova 3.1 (excluding Jaczno), Noble.



Check this out! View our video!

Doorframes

For higher doors we apply 4 hinges.











In higher doors we apply 4 hinges.

Doors over 2200mm high come with four hinges.


Adjustable doorframe (rebated door)

Adjustable doorframe (non-rebated door)






So :5




For standard door height: Hz=2043 Hsp=2017 Hop=2075(2095) Ho=2058 +5




For standard door height: Hz=2043 Hsp=2005 Hop=2075(2095) Ho=2058.5

Doorframe with a panel

Rebated doorframe





Doorframes

Important: The depth of the doorframe does not affect the price within a specified range. Non-standard doorframes are available at an extra cost.



Concealed doorframe





Doorframe concealed in a wall Eclisse

A concealed doorframe with an aluminium rebate visible when the door is open.

The Reversible System



Standard swing system:


A leaf flushed with a doorframe, opening outwards




Reversible swing system:

A leaf flushed with a doorframe, opening inwards Note: In the Noble Collection one side cannot contain a inlay.

Heights of traditional and reversible doors




Directions of opening reversible doors



A door with a smooth finish is also available in the reversible version.


Width of reversible doors




Sliding door



Size	Leaf width			С
G 90	943	926	970	1946
GG90	943+943	1846	1890	3810
G80	843	826	870	1746
GG80	843+843	1646	1690	3410
G70	743	726	<i>77</i> 0	1546
GG70	743+743	1446	1490	3010










POCKET DOORS (single and double)

A perfect solution that helps to save some space. Since the door is hidden in the wall the space around it can be used for other purposes.




SINGLE POCKET DOOR wall mounted with a top mounting track






DOUBLE POCKET DOOR for dry walls



DOUBLE POCKET DOOR

wall mounted with a top mounting track





SLIDING DOOR wall mounted track


The CAL system. Elegant and convenient. The wooden built-up system is visible but does not occupy any more space than it is necessary. By the same token, it underlines the individual style of the interior.

Size	Leaf width	So	Sz	L	Sop*
90	943	1000	980	1965	60-1004 / 80-1084
2x90	943+943	1920	1902	3782	60-1966 / 80-2006
80	843	900	880	1765	60-944 / 80-984
2x80	843+843	1720	1702	3382	60-1766 / 80-1806
70	743	800	780	1565	60-844 / 80-884
2x70	743+743	1520	1502	2982	60-1566 / 80-1606


Single Wall-Mounted Sliding System




Double Wall-Mounted Sliding System



Wall-Mounted Sliding System



Single Wall-Mounted Sliding System





ERGON DOOR SYSTEM

Amazing and unique, the Ergon door system allows for simple access from either side of the door and simply swings to the side sharing the width of the door between two rooms. Perfect for smaller accommodation types.

Convenient to install in rooms where the partition walls are not perpendicular to each other. The minimum required width of the wall is 140 mm.



Check out how it works!



LAGUNA SYSTEM

Heavy Duty Sliding Barn Door Hardware Kit. Trandy option for loft, cottage, or any other interiors.

The package includes: Rail, Rail Spacers, Rollers, Door Stops, Anti-jumpers, and Floor Guide. THE DOOR IS NOT INCLUDED.

Door Weight Capacity: 100kg

Sizes: 2m, 2.5m, 3m. Can be multiplied in length by joining tracks.

Hanger options



Still more nature







Knotty oak veneer

Nature's beauty and its uniqueness are best conveyed by a knotty oak veneer, aka "wild oak". The natural knots and grain of the wood create character and charm.

• NOTE! Knots can break out of the sheets due to subsequent drying of the wood and manipulation of the veneers, creating an open defect. For this reason, we fill the defects with black glue, in the same way as the cracks, to achieve aesthetic colouring with a depth effect. The size of these open defects is undefined and, in rare cases, can be several centimeters in diameter.

Ideal matching



Each door is made-to-measure, especially for you. It will go through a meticulous process of picking the best wood. It will be transformed into a product that will decorate your interior.

Once you pick a door made of real wood, you get a healthy microclimate at your home for free.



You haven't found the ideal door yet?

Get inspired! View our work and products at www.drzwi-cal.pl/en

• This catalogue serves merely as an inspiration. Passive leaves, double doors, sliding doors are all there to enable the best use of space in your house.

Door Size Guide

	LA LINEA		LEAF	LEAF	REBATED DOORFRAME		ADJUSTABLE DOORFRAME			
	GEOMETRY NOVA 3.0		Ss	Ssb	Sz	So	Sop 60	Sop 80	Sz	So
SINGLE	NOVA 3.1 LUXURY CLASSIC NOBLE LOFT	90	943	919	997	1027	1044	1084	980	1010
		80	843	819	897	927	944	984	880	910
		70	743	719	797	827	844	884	780	810
	LA LINEA		LEAF	LEAF	REBATED DOORFRAME		ADJUSTABLE DOORFRAME			
	GEOMETRY NOVA 3.0		Ss	Ssb	Sz	So	Sop 60	Sop 80	Sz	So
DOUBLE	NOVA 3.1 LUXURY	2x90	2×943	2x931	1928	1958	1978	2018	1914	1944
	CLASSIC	2×80	2x843	2×831	1728	1758	1778	1818	1714	1744
	NOBLE LOFT	2x70	2x743	2×731	1528	1558	1578	1618	1514	1544
	LA LINEA		LEAF	LEAF	REBATED D	OORFRAME		ADJUSTABLE	DOORFRAME	
	NOVA 3.0 NOVA 3.1		Ss	Ssb	Sz	So	Sop 60	Sop 80	Sz	So
WITH ½ PASSIVE LEAF	CLASSIC	90+1/2	943+579	931+567	1564	1594	1615	1655	1550	1580
	(Hańcza, Kisajno, Niegocin, Sajno)	80+1/2	843+529	831+517	1414	1444	1464	1504	1400	1430
	LOFT	70+½	743+479	731+467	1264	1294	1314	1354	1250	1280
			LEAF	LEAF	REBATED D	OORFRAME		ADJUSTABLE	DOORFRAME	
			Ss	Ssb	Sz	So	Sop 60	Sop 80	Sz	So
WITH ½ PASSIVE LEAF	LUKSUSOWA (Menuet, Arabeska)	90+1/2	943+612	931+600	1597	1627	1647	1687	1583	1613
		80+1/2	843+562	831+550	1447	1477	1497	1537	1433	1463
		70+1/2	<i>7</i> 43+512	<i>7</i> 31+500	1297	1327	1347	1387	1283	1313
			LEAF			ADJUSTABLE DOORFRAME				
	1117/1107		Ss	Ssb	Sz	So	Sop 60	Sop 80	Sz	So
WITH ½ PASSIVE LEAF	LUXURY (Tango)	90+½	943+536	931+524	1521	1551	1569	1609	1505	1535
		80+1/2	843+486	831+474	1371	1401	1419	1459	1355	1385
		70+½	743+436	731+424	1221	1251	1269	1309	1205	1235
			LEAF	LEAF	REBATED D	OORFRAME		ADJUSTABLE	DOORFRAME	
	LUXURY		Ss	Ssb	Sz	So	Sop 60	Sop 80	Sz	So
WITH 1/3 PASSIVE LEAF	(Opera)	90+1/2	943+502	931+490	1487	1517	1537	1577	1473	1503
		80+1/2	843+469	831+457	1354	1384	1404	1444	1340	1370
		70+½	743+436	731+424	1221	1251	1271	1311	1207	1237
			LEAF	LEAF	REBATED DOORFRAME		ADJUSTABLE DOORFRAME			
WITH ½ PASSIVE LEAF CLASSIC (Szurpiły)			Ss	Ssb	Sz	So	Sop 60	Sop 80	Sz	So
		90+1/2	943+536	931+524	1522	1552	1570	1610	1506	1536
		80+1/2	843+486	831+474	1372	1402	1420	1460	1356	1386
		70+1/2	743+436	731+424	1222	1252	1270	1310	1206	1236
			LEAF	LEAF	REBATED D	OORFRAME	ADJUSTABLE		DOORFRAME	
			Ss	Ssb	Sz	So	Sop 60	Sop 80	Sz	So
WITH ½ PASSIVE LEAF	NOBLE	90+1/2	943+562	931+550	1548	1578	1596	1636	1532	1562
		80+1/2	843+512	831+500	1398	1428	1446	1486	1382	1412
	70+1/2	<i>7</i> 43+462	731+450	1248	1278	1296	1336	1232	1262	

Door size guide: door width $\,^*$

^{*)} for height view figures next to the table

	GEOMETRY	NOVA 3.0 / LOFT
	OLOMEIK!	1101/2017
Notes		
Painting/Knotty veneer		
RAL/NCS on oak		0
RAL 9003 smooth finish	S	N/A
RAL/NCS other than 9003 smooth finish	0	N/A
CAL colour on oak (RS, WO, SS)		\$
CAL bicolour (RS, WO, SS)		
RAL/NCS bicolour	-	
The knotty veneer on a leaf (unavailable for a doorframe)	0	N/A
9005 X-matte/other (a surcharge applies for RAL)		0
Doorframe in a different colour than the leaf		
NON-STANDARD DIMENSIONS		
Non-standard width between 680/780 and 1,080 mm		0
Non-standard height between 2,000 and 2,200 mm		S
Non-standard height between 2,201 mm and 2,500 mm		
Height below/under 2,000 mm		0
Opening systems		
Double door or with a 1/2 and 1/3 passive leaf		
Single wall-mounted sliding system		
Double wall-mounted sliding system		
Single sliding system for a 125 mm dry wall		
Double sliding system for a 125 mm dry wall		
Tunnel (blind doorframe) for a sliding system for a 125 mm dry wall		_
ERGON system. Available for a minimum wall width of 140 mm		0
Doorframe hidden in the wall		_
Reversible door		0
GLAZING		
Frosted laminated glass	N/A	\$
DECORMAT tempered glass	N/A	N/A
Lacobel glass inlay: RAL, black, anthracite, white	s O	N/A
Lacobel glass inlay: RAL, other colours	0	N/A
OTHER		
Drop-down seal DRS 1530 50dB		
Drop-down seal CHRONOSEAL 52dB Quarter round		
Leaf cutting/Ventilation undercut		
Ventilation vent	N/A	S
Blinding of the ventilation vent	N/A	0
Fittings kit: black/white/gold	IN/A	O
In hinges for retro doorframes casings are available only in chrome		
CAL standard pre-drilled handle hole* *standard pre-drilled handle hole ### Add min ###		
Ø 20		

NOVA 3.1	LA LINEA		LUXURY	CLA	NOBLE	
Ergon system and reversible system, excluding the Jaczno model		Solid door	Glazed door Chamfered glass, excluding the Arabeska 10 s model	Without glazing bars	With glazing bars	
	S			Ο		
0	S			N/A		S
0	\$			N/A		0
			S			0
	0					Ο
	0					
0		_		N/A		
	\$/0			0		
	0					
			0		0	
			0	S	0	S
	0					
			0		0	
	0					
	0					N/A
	0					N/A
	0					N/A
	0					N/A
	0					N/A
			N/A			N/A
	0					
			0	C		0
N/A	N/A	N/A		S		
S				N/A		
			N/A			
			N/A			
	O					
	0					
	0					
	0					
N/A				S		N/A
N/A	1			0		
	O					
	0					
		S stanc	ard option N/A Not	applicable O	Extra-cost option	

www.drzwi-cal.pl

CAL real doors ZSB CAL Z. Cywiński i wspólnicy spółka jawna ul. Piaskowa 5, 16-400 Suwałki, POLAND Phone +48 87 563 11 55 biuro@drzwi-cal.pl













This publication has been valid since March 1, 2022. The information contained in the catalogue does not constitute an offer within the meaning of the Civil Code. You are choosing wood which is a natural material. Due to the printing technology, the colours shown may differ from the actual ones. Differences in finish, grain, and structure give the original and unique character of wood, which is a natural material and cannot be the basis for a complaint. They create a unique character of the natural raw material that wood is. The illustrations, technical information, data, and descriptions contained in this publication were accurate at the time of going to print. We reserve the right (without prior notice) to make changes to the dimensions, technical parametres, equipment, and improvements of the products presented herein, arising from our continuous efforts to pursue improvement and development. Although every effort has been made to ensure that this publication contains complete and accurate information, we cannot be held accountable for any omissions or inaccuracies that may have appeared in it. The retail prices in this catalogue are average market prices for products in basic colours with standard equipment. The present catalogue does not set prices. All retail prices are given in Polish zloties (PLN net). The errors in the prices given in this catalogue cannot serve as a basis for any claims, including legal claims. Prior to the installation of the door, it is required that you get acquainted with the installation instructions. Important: CAL products are manufactured and equipped according to an individual order submitted by a consumer.